






STATE WHEN ORDERING

FW = ... mm
FH = ... mm
COW = ... mm
COH = ... mm
CL = ... mm

Surface treatment
☐ Silver anodized
Special anodized .....
RAL .....
Special powder coating .....
.....

Glass options:
☐ 10 mm tempered glass
☐ 10 mm laminated glass
☐ No glass

Installation
☐ Floor heating
☐ Other .....




©ASSA ABLOY Entrance Systems AB, 2018
Technical data subject to change without notice.


Customer:	Ref:
Door id:	Date:
Project No:	Sign:


Automatic door system
ASSA ABLOY Semi Transparent telescopic
4 Panel wall mounted bipart, Art. No. 1009395-15
ASSA ABLOY SL520

ASSA ABLOY

7.0 | 1009395-EI







STATE WHEN ORDERING

FW = ... mm
FH = ... mm
COW = ... mm
COH = ... mm
CL = ... mm

Surface treatment
☐ Silver anodized
Special anodized .....
RAL .....
Special powder coating .....
.....

Glass options:
☐ 10 mm tempered glass
☐ 10 mm laminated glass
☐ No glass

Limitation
FW x FH = max. 5,9 m²

Installation
☐ Floor heating
☐ Other .....


©ASSA ABLOY Entrance Systems AB, 2018
Technical data subject to change without notice.


Customer:	Ref:
Door id:	Date:
Project No:	Sign:


Automatic door system
ASSA ABLOY Semi Transparent telescopic
2 Panel wall mounted opening left, Art. No. 1009395-15
ASSA ABLOY SL520

ASSA ABLOY

7.0 | 1009395-EI







STATE WHEN ORDERING

FW = ... mm
FH = ... mm
COW = ... mm
COH = ... mm
CL = ... mm

Surface treatment
☐ Silver anodized
Special anodized .....
RAL .....
Special powder coating .....
.....

Glass options:
☐ 10 mm tempered glass
☐ 10 mm laminated glass
☐ No glass

Limitation
FW x FH = max. 5,9 m²

Installation
☐ Floor heating
☐ Other .....


©ASSA ABLOY Entrance Systems AB, 2018
Technical data subject to change without notice.


Customer:	Ref:
Door id:	Date:
Project No:	Sign:

Automatic door system
ASSA ABLOY Semi Transparent telescopic
2 Panel wall mounted opening right, Art. No. 1009395-15
ASSA ABLOY SL520

ASSA ABLOY

7.0 | 1009395-EI






STATE WHEN ORDERING

FW = ... mm
FH = ... mm
X = ... mm
COW = ... mm
COH = ... mm
CL = ... mm

Surface treatment
☐ Silver anodized
Special anodized .....
RAL .....
Special powder coating .....
.....

Glass options:
☐ 10 mm tempered glass
☐ 10 mm laminated glass
☐ No glass

Installation
☐ Floor heating
☐ Other .....




©ASSA ABLOY Entrance Systems AB, 2018
Technical data subject to change without notice.


Customer:	Ref:
Door id:	Date:
Project No:	Sign:


Automatic door system
ASSA ABLOY Semi Transparent telescopic
6 Panel wall mounted bipart, Art. No. 1009395-15
ASSA ABLOY SL520

ASSA ABLOY

7.0 | 1009395-EI







STATE WHEN ORDERING

FW = ... mm
FH = ... mm
X = ... mm
COW = ... mm
COH = ... mm
CL = ... mm

Surface treatment
☐ Silver anodized
Special anodized .....
RAL .....
Special powder coating .....
.....

Glass options:
☐ 10 mm tempered glass
☐ 10 mm laminated glass
☐ No glass

Limitation
FW x FH = max. 9,1 m²

Installation
☐ Floor heating
☐ Other .....


©ASSA ABLOY Entrance Systems AB, 2018
Technical data subject to change without notice.


Customer:	Ref:
Door id:	Date:
Project No:	Sign:


Automatic door system
ASSA ABLOY Semi Transparent telescopic
3 Panel wall mounted opening left, Art. No. 1009395-15
ASSA ABLOY SL520

ASSA ABLOY

7.0 | 1009395-EI







STATE WHEN ORDERING

FW = ... mm
FH = ... mm
X = ... mm
COW = ... mm
COH = ... mm
CL = ... mm

Surface treatment
☐ Silver anodized
Special anodized .....
RAL .....
Special powder coating .....
.....

Glass options:
☐ 10 mm tempered glass
☐ 10 mm laminated glass
☐ No glass

Limitation
FW x FH = max. 9,1 m²

Installation
☐ Floor heating
☐ Other .....

Customer:	Ref:
Door id:	Date:
Project No:	Sign:

Automatic door system
ASSA ABLOY Semi Transparent telescopic
3 Panel wall mounted opening right, Art. No. 1009395-15
ASSA ABLOY SL520

ASSA ABLOY

7.0 | 1009395-EI

©ASSA ABLOY Entrance Systems AB, 2018
Technical data subject to change without notice.